

Silhouette special wiring diagram

PDF Download

Download

Forum Rules. Remember Me? What's New? Advanced Search. Results 1 to 5 of 5. User Info Menu. Join Date May Location happy valley Posts 2, How to wire up Silhouette Special without the Silent Circuit? Could use a little help. I found this diagram at Guitar Electronics dot com but this one is different concerning the 2nd position. EBMM uses the south coil in parallel with the middle pickup and this GE diagram uses the north coil and middle pickup. You might say it is very similar but I would like the circuit position 2 to be exactly like the EBMM wiring, with the south hum coil and middle single, the physical distance apart is different. Or could I just flip the red and green wires on the DiMarzio hummer? Wouldn't this be out of phase though? And lastly, thank you in advance for your help. No, this is wired a little more differently than simply swapping wires will allow. Compare how the north start wires are connected between the two diagrams. You want to keep the stock coil combinations to keep hum cancelling. Start with the EBMM diagram. Any wire from the silent circuit is simply disconnected. The black wire from ground to the common terminal of the pole connecting the yellow SS wire is redundant and can be removed also. The black wires from the two single coils go straight to ground. Unless the baby-induced lack of sleep has me confused, that's all you need to do. Edit: Got it wrong, see my next post below. Take the single coil grounds to the back of the volume pot like any Strat.. Reds stay wired as shown. So then it looks like half of the Super Switch isn't even used. Sorry, I guess the fatigue is getting to me! We need three poles of the four poles to allow splitting the humbucker. Pole 2 gets middle single red. Pole 3 is where humbucker green and neck single black are connected at terminal 3, with another green wire to pole 1 terminal 2. What was the blue wire from that terminal to the silent circuit is now to be replaced with a new wire to ground. What this pole does is provide a permanent path to ground for neck single coil black and humbucker green, and in position 3 provides the path to ground for humbucker black while connecting humbucker green and white, short circuiting that coil. All wires from the silent circuit are simply disconnected. All wires to pole 4 SS yellow connected can be removed. The blue wire from SS to pole 3 terminal 3 is replaced with a new wire to ground, leaving all other connections to pole 3 intact. Middle single ground black can be connected to ground anywhere. Thanks Dr. I can run a jumper from the pole 4 side black gnd wire over to where the blue wire from the SC was connected. Tags for this Thread circuit , coil , diagram , ebmm , middle. StumbleUpon del. Contact Us Ernie Ball, Inc. Privacy Statement Top. All times are GMT The time now is AM. All Rights Reserved. This collection offers our timeless models where affordability meets quality. Intimate sized options to reconnect with a loved one or large enough models to entertain. The collection that sets Coast Spas apart from everyone in the industry, the Infinity Collection offers zero water displacement from a crowded hot tub and offers more seating space. Find out more about Coast Spas hot tubs by downloading a free digital catalogue. Find out about the Coast Spa difference. Coast Spas come standard with commercial-grade HydroCyclonic filtration. Never sit in the same water as your spa filter again. The highest internationally recognized quality standard for manufacturing and extensively reviewed yearly by independent audits. Find some helpful information in our Owner Resources area. Can't find what you need? No problem. Reach out to us and we will get back to you as soon as possible. Your new hot tub is equipped with a Microban filter cartridge. To ensure maximum water quality at all times, you should replace the filter cartridge every six months, or earlier as necessary. The filter cartridge is designed to be thrown away! Attempts to re-use the filter cartridge may result in the re-release of unwanted particles back into the hot tub. The frequency will depend on a number of variables including frequency of use, number of bathers and attention paid to the water quality maintenance. You will know it is time for a change when you can no longer get the normal feel or sparkle to the water, even though the key water balance measurements are all within the recommended ranges. The pillows can be removed for easy cleaning and maintenance. All pillows have plugs within the pillow itself. To remove the pillow, grab the bottom edge firmly and pull outward. This will allow the pillows to pop-out from the receptacle in the spa shell. To re-install the pillow you will align the pillow plug with the receptacle. Do not sit on the pillows Do not pull on the pillows Proper water chemistry must be maintained. Failure to do so may damage the spa pillows. Pillows should be cleaned using a soft cloth and mild soap, then wiped with a conditioner. We recommend that pillows be washed each time you drain you spa. Your Coast spa has a fiberglass reinforced acrylic shell. Generally dirt and stains will not adhere to the surface. To properly clean the surface, we recommend wiping it with a soft damp cloth or sponge using household soap or liquid detergent and rinsing thoroughly with fresh water. DO NOT use any cleaning products containing abrasives or solvents, since these could damage the surface. Harsh chemicals should never be used on acrylic surfaces. Damage to the shell due to the use of harsh chemicals is not covered under the warranty. DO NOT leave your hot tub drained and in direct sunlight for extended periods of time. Extreme heat could cause damage to the acrylic surface. Never spray cabinets with a high-pressure garden hose or pressure washer for any reason. Our cedar cabinets are made from top quality Western Cedar and manufactured and stained at our factory. With proper care and maintenance, your cedar cabinet should maintain its beauty for many years. Coast Spas recommends touch-up or re-staining of the cabinet every three to four years depending on your environment. Contact your Dealer for re-staining procedures. We recommend wiping the cabinet with a soft damp cloth or sponge using household soap or liquid detergent and rinsing with fresh water thoroughly. DO NOT use abrasive cleansers or material as this may damage the surface. We recommend lightly brushing the cabinet with a SOFT bristle brush to remove any dirt or stains. For more information on the care of your Slate cabinet, please contact your Coast Spas Dealer. There are also many stainless steel appliance cleaners on the market today that will help in the care and maintenance of the stainless steel cabinet. A well cared for spa cover is a thing of beauty in its own right. Be sure to clean and condition your cover at least once a month â€” more often if needed. Dry, brittle vinyl can also tear at the seams and stress points. Quality materials, internal sewn reinforcing and careful workmanship can only go so far against the ravages of Mother Nature. See the specific Warranty card enclosed with your cover for further details. When you shock your spa you need to remove the cover for a minimum of 30 minutes to ensure that the chemical gas off can escape from the spa. You are required to keep the spa covered at all time when not in use to protect the shell from harmful UV rays. A covered spa will use less electricity when maintaining the desired water temperature. See the manual that comes with the cover for proper mounting of the cover locks The cover should remain locked at all times to prevent unauthorized entry into the spa and potential drowning. Do not Sit, Stand or Lie on your cover. Nor should you place any heavy object on top of the cover as this may damage the structure. We recommend a vinyl conditioner. Your Coast Spas Dealer carries a wide variety of care and maintenance products. Choose a pleasant day each month to remove your cover from the spa and lay it on a flat surface accessible by garden hose. Douse the cover with a healthy amount of water from the hose or a bucket to rinse away loose dirt or debris. Using a soft bristle brush and a mild solution of dishwashing liquid about one teaspoon of detergent to two gallons of water , and with a gentle circular motion, scrub the cover clean. Now apply the vinyl conditioner as directed on the container. Massage the conditioner into the cover in a gentle but firm manner. Before replacing the cover on your spa, wipe and rinse any dirt from the bottom of the cover. When you are ready, put the cover on the spa. To remove tree sap, use lighter fluid not charcoal lighter but the fluid used in cigarette lighters. Use sparingly, then immediately apply conditioner to that area. Request Documents. Get Adobe Reader: Click Here. Find Your Local Dealer. Email Tech Support. View Collection. View Brochure. Learn More. Contact Coast. Learn About Coast. Valued Coast Spas Owners. Connect with us:. Curve Collection. Infinity Collection. Support Documents for Your Coast Spa. Didn't find what you were looking for? Click below to send us a request for information. You will receive a reply as promptly as possible. Request Documents Having trouble viewing documents? Have questions about our warranty policy? Please contact your local Authorized Coast Spas Dealer. Our dealers are the best source of information and assistance regarding the warranty for Coast Spas products. Find Your Local Dealer Need to speak with a technical service specialist? We would be happy to help! We will get back to you as soon as possible. Looking to buy? Get in touch with your local retailer and get professional advice. Find Your Dealer. Coast Spas Manufacturing Inc. Traditional Collection. Specialty Products. Commercial Hot Tubs. Coast Spas Brand. Join Coast. Social Media. Find A Dealer. Worldwide Remote. EcoClean Salt System. This manual is specific to a Oldsmobile Silhouette. RepairSurge is compatible with any internet-enabled computer, laptop, smartphone or tablet device. It is very easy to use and support is always free. We wish we could just show you the entire manual before you buy, but our publishing agreement with the auto manufacturers prevents this. We know this sounds crazy. It's a stupid rule in our opinion, but they authorize our manuals and that's what their lawyers require. Here are some of the comments we have received from users of RepairSurge. These customers have agreed to allow us to publicly display their testimonials. We know buying anything online is a risk. Once again, we wish we could just show you the entire manual before you buy, but our publishing agreement with the auto manufacturers prevents this. We'll get you the repair information you need, every time, or your money back. Manufacturer: Oldsmobile. Model: Silhouette. Production Year: Step by Step Instructions. Comprehensive Diagrams. Diagnostic Procedures. Wiring Diagrams. Here is what you'll get. Step-by-step factory recommended repair instructions. Unlimited access to personal support reps who are always available to assist you. We can answer your questions about using the software or help you find the specific information you need for your Oldsmobile Silhouette. Free real-time updates! Your manual is updated with revised information as soon as it is released. Access on your terms. Unlimited access to your Oldsmobile Silhouette manual on a yearly basis. We'll get you the repair information you need, every time, or we'll refund your purchase in full. Can I see what the manual looks like? See our guarantee below. You are protected in case the manual turns out to not be what you need. What Satisfied Mechanics Are Saying. Exactly as advertised, quick and easy transaction. Get Your Manual. Your satisfaction is guaranteed and your online transaction is protected by safe and secure SSL encryption technology. Put simply the silent circuit is the answer to the long standing. The ernie ball full size mono volume pedal with switch features a super smooth foot sweep for precise volume control and is perfectly voiced for passive audio signals. Steve Morse Standard Wiring Schematic. Ernie ball wiring diagram. First introduced in the stingray has been revered as one of the most iconic bass guitars in history. The flagship of the music man line todays stingray is the same as it was some forty years ago featuring a solid roadworthy construction massive hardened steel bridge elegant oval pickguard. The simplest approach to read a home wiring diagram is to begin at the source or the major power supply. A family owned american instrument manufacturer in san luis obispo ca since The power is yours. Available in electric and acoustic varieties they are also the first set of guitar strings to come with a fully backed guarantee meaning if your strings break or rust under normal playing conditions and within the first 90 days of your purchase youll be eligible. All the things you need when considering a patch cable for your board. The wiring diagram on the opposite hand is particularly beneficial to an outside electrician. This video explains the. Looking forward to hearing how you like the sd pup. Visit ernie ball music man. A video mostly for the ebmm forum guys and gals but useful to anyone with a hss guitar. Removed complaint about mid setting found better diagram that confirmed pos2 is bridge coil dummy which makes sense. Shop ernie ball music man guitars and basses. Ernie ball volume pedal wiring. Sometimes wiring diagram may also refer to the architectural wiring program. Ive modified the stock wiring to change the 2 3 positions on the selector switch. The stingray was the first production four string bass to feature on board active equalization. Attached to the footplate is an onoff switch connected to the jack labeled switch. We recommend ernie ball instrument cables. Ernie ball paradigm guitar strings pronounced pair a dime are the strongest most advanced guitar strings known to man. By casey ball on july 21 in instruments 1. See nordstrand musicman 3 coil pickup wiring help ill add what info i can as i go. The last thing to think about before you get started wiring is what power source you want to use. Among the many technological innovations that ernie ball music man has brought forth in our 30 years making instruments one of the most important is the development of our patented silent circuit. What is the silent circuit. Pickup Or Preamp Problem. Question Axis Sport Wiring. Help John Petrucci Signature Wiring. Music Man Silhouette Wiring. Question Music Man Cutlass Pickups. Albert Lee Wiring Help Please. Schematic For 79 Sabre. Question Ernie Ball Luke Wiring. Different 3 Way Toggle Switches Question. Pedal Repairs Ernie Ball. Faq Ernie Ball Music Man. Carvin Wiring Diagram Wiring Diagram. Wrg Jackson Soloist Wiring Harness. Wiring Instructions Seymour Duncan. Help Wiring Schematic For Axis. Stratocaster Wiring Diagrams. Post a Comment Note: Only a member of this blog may post a comment. Steve Morse Standard Wiring Schematic Our patch cables are ultra durable flexible and dual shielded for as little noise as possible. Share this post. Post a Comment. Newer Post Older Post Home. Subscribe to: Post Comments Atom. Iklan Atas Artikel. Iklan Tengah Artikel 1. Iklan Tengah Artikel 2. Iklan Bawah Artikel. About Contact Privacy Policy Disclaimer. Among the many technological innovations that Ernie Ball Music Man has brought forth in our 30 plus years making instruments, one of the most important is the development of our patented silent circuit. We had this idea and finally tried it. The problem of cycle hum had been around ever since guitars had been released with single-coil pickups. The earliest answer to the problem was the development of humbucking pickups, aptly named because their purpose was to literally buck the humming sound out of a guitar. Dudley let us know what some of the context was in the guitar world before he had started on the silent circuit. But it was a totally active circuit. So we came up with this idea about a way to do it where the pickup would still function as essentially a passive pickup. There would be no preamp between the pickup and the amplifier because the electronic circuit that makes the silent circuit is in between the ground side of the pickup and where the pickup would normally connect to the ground. Essentially, the silent circuit is creating and infusing opposite frequencies generated by the actual pickup to neutralize the sound of the hum. Without actually eliminating the hum of a single-coil, it is able to maintain the same construction as a regular single-coil pickup, yet is still able to stop unwanted noise coming out of the amp. Dudley has said that it is possible to drop the Silent Circuit into any guitar, provided it has the space for installation as well as a battery compartment. The process of creating new electronics entails a fair amount of elbow grease, progress, setbacks, and flexibility. Luckily, Dudley helped walk us through the developmental process. The whole idea was to get the coil as small as possible so we could mount it in a lot of different instruments with a minimum of modification to an instrument. The smaller we made the coil, the more gain needed to be added to the circuit so the amount of hum generated by the small coil would equal the amount of hum that was being generated by the normal guitar pickup. The Silhouette guitar was really where we launched it. We went through a couple of different iterations with this, one early one we did actually had a stacked single-coil, which DiMarzio made for us, and it had the same shape as a Strat single-coil bobbin attached to the back of the pickups, and then we ran those coils through a buffer circuit and it worked fairly well in some respects. But as far as canceling the hum it went pretty well. The issue with doing it that way as if the coil that senses the hum, or is intended to only sense the hum, is mounted underneath the normal pickup then it inevitably picks up a certain amount of the signal from the strings just because of its proximity. We wanted to keep it so that the only thing that was being cancelled was the hum. Is it just that simple that we created a powered circuit that takes care of all the noise in a gui

hh wiring diagram
66 c10 wiring diagram
1996 nissan maxima repair manual

tar? Well, in some ways, yes. However, the answer goes much deeper. The shielding of the control cavities of the guitar and using the foil on the back of the pickguards all help to eliminate noise from the pickup. However, the type of shielding is the main factor. There are two basic types of noise. One is electrostatic and the other is electromagnetic, which often is referred to as EMI [electromagnetic interference]. For further information on Ernie Ball Music Man guitars and basses, visit our website. Skip to content. Share this Post. Related Posts. Sterling by Music Man New for January 18. One Comment Are silent circuit components available? If so, where and how much? Previous Post. Next Post. Store Locator. We use technologies, such as cookies, to customize content and advertising, to provide social media features and to analyze traffic to the site. We also share information about your use of our site with our trusted social media, advertising, and analytics partners. View details.